



Safety Data Sheet

SECTION 1 – IDENTIFICATION OF THE MATERIAL AND SUPPLIER

Product Name: **MUCK OFF** Use: **Ceramic Tile Cleaner & Detergent**
Supplier: Morgan Ceramic Tile Adhesives 24 Hanwell Way Bassendean WA 6054
Telephone 08 9279 8911 Facsimile 08 6278 1152

EMERGENCY TELEPHONE NUMBER 08 9279 8911

SECTION 2 – HAZARDS IDENTIFICATION

NOT CLASSIFIED AS HAZARDOUS ACCORDING TO NOHSC CRITERIA

SECTION 3 – COMPOSITION/INFORMATION ON INGREDIENTS

Muck Off is a preparation of commercially confidential ingredients classified as non-hazardous according to the criteria of NOHSC.

SECTION 4 – FIRST AID MEASURES

Ingestion: Do not induce vomiting. Rinse the mouth with water. Give water to drink. Seek immediate medical assistance.

Eye Contact: Hold the eyelids open and irrigate the eyes with copious amounts of water for at least fifteen minutes. Seek immediate medical assistance.

Skin Contact: Remove the contaminated clothing. Rinse the exposed areas thoroughly with soap and water. Clean the contaminated clothing before re-using. Seek medical advice if a skin irritation develops.

Inhaled: Move the person to a source of fresh air. Seek medical advice if symptoms such as coughing persist.

SECTION 5 – FIRE FIGHTING MEASURES

HAZCHEM CODE: NONE ALLOCATED

This product is not combustible but can release flammable vapours when exposed to sources of extreme heat. Decomposition of this product will result in the generation of toxic oxides of carbon. Fire fighters should wear a self contained breathing apparatus. Flames on or in the vicinity of this product can be extinguished using conventional fire fighting agents and procedures.

SECTION 6 – ACCIDENTAL RELEASE MEASURES

This product can create slippery conditions. For large spills, wear PVC gloves, goggles, overalls and a respirator. Do not allow the product to enter drains or surface water. Contain the spill with sand or soil. Collect the adsorbed material and seal it into properly labelled drums for disposal. Spray the contaminated area with an excess of water. Do not wash the product's residues into natural waterways.

SECTION 7 – HANDLING AND STORAGE

Store cool and dry. During storage and transport keep the product away from sources of heat or direct sunlight.

SECTION 8 – EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Standards: An exposure standard for this product has not been allocated. The ingredients of this product have been classified as non-hazardous according to the criteria of NOHSC.

Engineering Controls: Morgan's advise that the product should be used in a well ventilated area.

Personal Protective Equipment: Always handle and use this product with common sense and good industrial hygiene practices. Tilers should avoid all unnecessary skin contact with this product. Chronic health effects can be avoided by the use of a barrier cream.

SECTION 9 – PHYSICAL AND CHEMICAL PROPERTIES

Appearance:	Pale yellow liquid	Solubility:	Miscible
Odour:	Mild odour	Specific gravity:	> 1
Vapour Pressure:	2.34 kPa	Vapour Density:	Not available
Melting Point:	0 degrees Celsius	Boiling Point:	< 100 degrees Celsius
Flammability:	Not combustible	Explosion Limits:	Not available
pH:	7	Ignition Temperature:	Not available

SECTION 10 – STABILITY AND REACTIVITY

Chemical stability:	Stable when stored in a dry and cool environment.
Conditions to avoid:	Direct sun.
Incompatible materials:	No common materials incompatible.
Hazardous decomposition products:	Product will release oxides of carbon.
Hazardous reactions:	Product will not hazardously react.

SECTION 11- TOXICOLOGICAL INFORMATION

Adverse health effects due to the use of this product are not expected if the product is handled in accordance with this Safety Data Sheet and the products label. Symptoms that may arise if the product is mishandled are:

- Ingestion: Mild irritant. This product may cause an irritation of the digestive tract.
- Eye contact: Irritant. This product may cause an inflammation of the eye.
- Skin contact: Mild irritant. This product may cause an irritation or a rash to develop.
- Inhaled: Adverse health effects due to inhalation are unlikely due to the low vapour pressure of the product at room temperature. Excessive inhalation of the product may cause a slight irritation of the upper respiratory tract.

Chronic health effects: In most individuals, prolonged contact with this product may cause dermatitis.

SECTION 12 – ECOLOGICAL INFORMATION

Ensure appropriate measures are taken to prevent this product from entering the environment.

SECTION 13 – DISPOSAL CONSIDERATIONS

This product can be treated as a common waste and can be cleaned up with a mop and bucket. Spills should be repacked into sealable plastic buckets. Before disposing please consult the chemical disposal regulations of the relevant Commonwealth, State, Territory or local government departments.

SECTION 14 – TRANSPORT INFORMATION

NOT CLASSIFIED AS A DANGEROUS GOOD BY THE CRITERIA OF THE ADG CODE

UN Number:	None allocated	Hazchem Code:	None allocated
Correct Shipping Name:	None allocated	Packaging Group:	None allocated
Dangerous Goods Class:	None allocated	EPG:	None allocated
Subsidiary Risk:	None allocated		

SECTION 15 – REGULATORY INFORMATION

Poisons Schedule: A poisons schedule number has not been allocated to this product using the criteria in the standard for the Uniform Scheduling of Drugs and Poisons (SUSDP).

AICS: The ingredients of this product are listed on the Australian Inventory of Chemical Substances (AICS).

SECTION 16 – OTHER INFORMATION

The information contained herein is considered to be accurate and up to date. However, no warranty is expressed or implied regarding the accuracy of the information contained herein or the results to be obtained from the use thereof. Morgan Ceramic Tile Adhesives will not assume responsibility for the personal injury or for the damage caused to the property of vendees, users or third parties from the storage or use of this product. Vendees or users assume all risk associated with the use of this product.